



DAC
INDUSTRIES, INC.

Manufacturer and Supplier for all your Gate Hardware & Accessory needs


Quality Products for the FENCE INDUSTRY

since 1985

January 2012

www.dacindustries.com

Auto-Latches



Hardware Bags* & Signs

Replacement Hardware for the Auto-Latch

Description	Part no.	Weight ea.		Price ea.
1 3/8" Gate Frame	AL Bag 1	.40 lb.		
1 5/8" Gate Frame	AL Bag 2	.40 lb.		
2" Gate Frame	AL Bag 3	.40 lb.		
*Includes two brackets with nuts and bolts plus two carriage bolts with washers and nuts.				
Sign - with Instructional Diagram	Latch Sign			

Mini-Latch

1 3/8" Gate Frame

Ideal For Kennels

Available for 1 3/8", 2" or 2 1/2" Gate Post with a Short Handle.

Description	Part no.	Weight ea.		Price ea.
1 3/8" Short Handle	1499	.95 lb.		



Residential Auto-Latch*

1 3/8" Gate Frame

Self-latching


Allows gate to swing both ways

Can be padlocked from either side

Mix any size latch for price break.
Sold individually or 10 or 25/box.

Description	Part no.	Weight ea.	Price Break	Price ea.
1 3/8" Gate Post	1500	1.3 lbs.		
2" Gate Post	1502	1.3 lbs.	1-24 25-99	
2 1/2" Gate Post	1525	1.3 lbs.	100+	
3" Gate Post	1527	1.3 lbs.		

*When installed properly, the Auto-Latch meets Consumer Product Safety Commission guidelines for swimming pool latches.




Auto-Latches

Commercial Auto-Latch*
Self-latching
Allows gate to swing both ways
Can be padlocked from either side

**1 5/8" or 2"
 Gate Frame**

Mix any size latch for price break.
 Sold individually or 10 or 25/box.




Description	Part no.	Weight ea.	Price Break	Price ea.
1 5/8" x 2"	1562	1.35 lbs.		
1 5/8" x 2 1/2"	1565	1.35 lbs.		
1 5/8" x 3"	1567	1.40 lbs.	1-24 25-99	
2" x 2"	1572	1.40 lbs.	100+	
2" x 2 1/2"	1575	1.40 lbs.		
2" x 3"	1577	1.45 lbs.		

*When installed properly, the Auto-Latch meets Consumer Product Safety Commission guidelines for swimming pool latches.

Square Auto-Latch*
Designed for Ornamental Fences
Easily Installed
Self-Latching
Allows gate to swing both ways
Can be padlocked from either side

Mix any size latch for price break.
 Sold individually or 10 or 25/box.



Description	Part no.	Weight ea.	Price Break	Price ea.
1" x 1 1/2"	2015	1.9 lbs.		
1" x 2"	2020	1.9 lbs.		
1" x 2 1/2"	2025	1.9 lbs.		
1 1/4" x 1 1/2"	2215	1.9 lbs.	1-5	
1 1/4" x 2"	2220	1.9 lbs.	6-11	
1 1/4" x 2 1/2"	2225	1.9 lbs.	12-23	
1 1/2" x 1 1/2"	2515	1.9 lbs.	24 +	
1 1/2" x 2"	2520	1.9 lbs.		
1 1/2" x 2 1/2"	2525	1.9 lbs.		
Adapter Kit	2999	.9 lb.		

Adapter Kit includes: 1" and 1 1/4" inserts, 1 1/2", 2" and 2 1/2" collars


*When installed properly, the Auto-Latch meets Consumer Product Safety Commission guidelines for swimming pool latches.

Strong Arms

Residential Strong Arm

1 3/8" Strong Arm Latch
Eliminates Drop Rods
Easily Installed
Lockable
For Double Drive Gates

Galvanized Steel
 Sold individually or 12/box




Description	Part no.	Weight ea.	Price Break	Price ea.
Fits 1 3/8" Frame	4138	2.90 lbs.	1-11	
Adjusts for 2" to 4" gap			12 +	

Commercial Strong Arm

1 5/8" and 2" Strong Arm Latch
Eliminates Drop Rods
Easily Installed
Lockable
For Double Drive Gates

Galvanized Steel
 Heavy Duty
 Sold individually or 6/box




Description	Part no.	Weight ea.	Price Break	Price ea.
1 5/8" or 2" Frame	4000	9 lbs.	1-5	
Adjusts for 2" to 6" gap			6-11	
			12-47	
2" Square Frame	4090	8.5 lbs.	48-99	
Replacement Parts Bag	SA Bag	1 lb.	100 +	

Walk Gate Strong Arm

Available for 2 1/2", 3" or 4" Posts
Lockable
1 5/8" or 2" Frame
Adjusts for 2" to 5" Gap

Galvanized Steel
 Heavy Duty




Description	Part no.	Weight ea.	Price Break	Price ea.
2 1/2" Gate Post	4250	4.5 lbs.		
			Sold individually or 12/box	1-9
3" Gate Post	4300	4.5 lbs.		10+
			Sold individually or 12/box	
4" Gate Post	4400	4.5 lbs.		
			Sold individually or 10/box	

Black Powder Coated Strong Arms


Black Strong Arm for ROUND Pipe Black Powder Coat Finish Long Lasting Durability

Description	Part no.	Weight ea.	Price Break	Price ea.
1 3/8" Frame*	4138-B	2.9 lbs.		
1 5/8" or 2" Frame*	4000-B	9 lbs.	1-5	
Walk Gate Latch			6-11	
2 1/2" Gate Post	4250-B	5.5 lbs.	12+	
3" Gate Post	4300-B	5.5 lbs.		
4" Gate Post	4400-B	5.5 lbs.		



* FOR
DOUBLE DRIVE
GATES

◀ Walk Gate Latches
Require 3" Gap



Black Strong Arm for SQUARE Pipe Black Powder Coat Finish Long Lasting Durability

Description	Part no.	Weight ea.	Price Break	Price ea.
2" Square Frame*	4090-B	7 lbs.		
Walk Gate Latch				
2 1/2" Square Gate Post	4290-B	4 lbs.	1-5	
3" Square Gate Post	4390-B	4 lbs.	6-11	
4" Square Gate Post	4490-B	4 lbs.	12+	

Adapt Latch To Fit 1 3/4" Square Pipe


Adaptor	4999	1 lb.		
---------	------	-------	--	--

▲ Double Drive Latch
(requires 2 Adaptors)
Adjusts 2 1/2" to 3 1/4" Gap

Sentry Latch

Sentry Latch
Use this Latch on Dumpster Gate Frames
Access From One Side Only
Heavy Duty Lockable
Adjusts for 1" to 2 1/2" Gap
Black Powder Coat Finish

Sold individually
or 12/box



Stainless Steel
5/16" x 3 1/2" Machine Screws
Included

Use on Steel Gate Frames,
Wood on Steel, Ornamental,
Polyvinyl and Wood Gates

Description	Part no.	Weight ea.	Price ea.
Sentry Latch	7000	4.75 lbs.	

Gravity Hinges

Residential Self-Closing Hinge Sets

Self-closing Self-rising 1 3/8" Gate Frame
Compatible with auto-latch
Will allow gate to swing both ways

Mix any size for price break.
 Sold individually or 10/bag.

Description	Part no.	Weight ea.	Price Break	Price ea.
2" Gate Post	1602	3.2 lbs.	1-19	
2 1/2" Gate Post	1625	3.3 lbs.	20+	
3" Gate Post	1627	3.5 lbs.		

Commercial Self-Closing Hinge Sets

Self-closing Self-rising 1 5/8" or 2" Gate Frame
Compatible with auto-latch
Will allow gate to swing both ways

Mix any size for price break.
 Sold individually or 10/bag.



Description	Part no.	Weight ea.	Price Break	Price ea.
1 5/8" x 2 1/2"	1665	3.7 lbs.		
1 5/8" x 3"	1667	3.8 lbs.	1-19	
2" x 2 1/2"	1675	3.8 lbs.	20+	
2" x 3"	1677	3.9 lbs.		

One-Way Self-Closing Hinge Sets


Self-closing Self-rising
Compatible with auto-latch
Allows gate to swing only one way

Mix any size for price break.
 Sold individually or 10/bag.


Description	Part no.	Weight ea.	Price Break	Price ea.
1 3/8" x 2"	1602-OW	3.2 lbs.		
1 3/8" x 2 1/2"	1625-OW	3.3 lbs.		
1 3/8" x 3"	1627-OW	3.5 lbs.		
1 5/8" x 2 1/2"	1665-OW	3.7 lbs.	1-19	
1 5/8" x 3"	1667-OW	3.8 lbs.	20 +	
2" x 2 1/2"	1675-OW	3.8 lbs.		
2" x 3"	1677-OW	3.9 lbs.		



The gravity type self closing hinge set has no springs to wear out. By raising the bottom hinge set you can increase the force at which the gate will close.



The hinges can also be used to compensate for slight grade changes making it possible to install the gate on a hill, yet keep the bottom of the gate close to the ground.



SIGN

Description	Part no.	Price ea.
6" x 4" Sign – with Diagram	Hinge Sign	

Hinge and Magnetic Latches

9000 Safetech™ Magnetic Gate Latch

TOTAL LATCH HEIGHT IS 20"

Self-Latching Magnetic Mechanism **Individually Boxed**
Adjustable-Vertically & Horizontally **3/4" Gap Optimal**
Reversible for Right-Hand or Left-Hand Use
Stainless Steel Components **UV Stabilized**
Top Pull Knob w/Rubber O-Ring Eliminates Latch Freeze Up

Description	Part no.	Weight ea.	Price Break	Price ea.
Safetech Magnetic Latch – Black	9000-B	1.7 lbs.	1-9 / 10+	



9000

9020 3 1/2" Self-Closing Hinge w/Legs

Poly Hinge **Easy Tension Adjustment**
Weight Capacity 65 lbs.
Stainless Steel Self-Drilling Screws Included
Require 3/4" gap

Description	Part no.	Weight ea.	Price Break	Price ea.
3 1/2" Hinge – Black	9020-B	.35 lbs.	1-9 / 10+	



9020

9030-B / 9040-B 5 1/2" Self-Closing Hinge

Poly Hinge **Easy Tension Adjustment**
Weight Capacity 154 lbs.
Screws Not Provided

Description	Part no.	Weight ea.	Price Break	Price ea.
Hinge w/legs 3/4" Gap Required	9030-B	.80 lb.	1-9	
Hinge wo/legs – Black	9040-B		10+	



9030-B



9040-B

9050-B 6" Handle

Poly Handle
For Use On Metal/Vinyl/Wood

Description	Part no.	Weight ea.	Price Break	Price ea.
Handle – Black	9050-B	.15 lbs.	1-9 / 10+	




9050-B


Stealth Cantilever Roller




5200		Nylon		
Roll Gate Track Roller with Bracket Assembly				
Wheel Diameter 4" Frame Pipe Size 1 5/8" or 2" O.D. Fits 1 5/8" O.D. Track				
Description	Part no.	Weight ea.		Price ea.
Roll Gate Track Roller	5200	5 lbs.		



5350		2,200 Lb. Load Rating		
Square Cantilever Gate Roller Assembly		Graphite Impregnated Nylon		
2" Square Pipe Roller UV Inhibitors		Sold Individually or 4/box		
Description	Part no.	Weight ea.	Price Break	Price ea.
2" Sq. Gate Frame - 4" Rnd. Post	5350	11 lbs.		
2" Sq. Gate Frame - 3" Sq. Post	5350-3S	11 lbs.	1-7	
2" Sq. Gate Frame - 4" Sq. Post	5350-4S	11 lbs.	8+	
2" Sq. Gate Frame - 6" Sq. Post	5350-6S	14 lbs.	1-7	
3,500 Lb. Load Rating			8+	



5500		2,200 Lb. Load Rating		
Round Cantilever Gate Roller Assembly		Graphite Impregnated Nylon		
UV Inhibitors		Sold Individually or 4/box		
Description	Part no.	Weight ea.	Price Break	Price ea.
1 7/8" Round Gate Frame	5500	11 lbs.	1-7	
4" Round Post			8+	



Stealth Cantilever Roller



5800

Round Cantilever Gate Roller Assembly


2,200 Lb. Load Rating

Graphite Impregnated Nylon

UV Inhibitors

Sold Individually or 4/box

Description	Part no.	Weight ea.	Price Break	Price ea.
2 1/2" Rnd. Gate Frame - 4" Rnd. Post	5800	11 lbs.	1-7	
2 1/2" Rnd. Gate Frame - 3" Rnd. Post	5800-3	11 lbs.	8+	



Double Bearing Cantilever Roller

HD


Premium Cantilever Gate Roller Assembly

**Heavy Duty Double Bearings
3,500 Lb. Load Rating**

UV Inhibitors

Sold Individually or 4/box

Description	Part no.	Weight ea.	Price Break	Price ea.
2 1/2" Rnd. Gate Frame - 3" Rnd. Post	5800-3HD	12 lbs.		
2 1/2" Rnd. Gate Frame - 4" Rnd. Post	5800-4HD	12 lbs.	1-7	
2 1/2" Rnd. Gate Frame - 6 5/8" Rnd. Post	5658	15 lbs.	8+	
2 1/2" Rnd. Gate Frame - 8 5/8" Rnd. Post	5858	17 lbs.		
2" Sq. Gate Frame - 4" Rnd. Post	5350-HD	12 lbs.		
2" Sq. Gate Frame - 3" Sq. Post	5350-3SHD	12 lbs.		
2" Sq. Gate Frame - 4" Sq. Post	5350-4SHD	12 lbs.		



5950

Protective Roller Cover Custom Fit for Stealth Roller

Tough Polyethylene Plastic

UV Inhibitors

Description	Part no.	Weight ea.	Price ea.
Roller Cover - Top	5950-T	3 lbs.	
Roller Cover - Bottom	5950-B	3 lbs.	



5975

Universal Roller Cover

Tough Polyethylene Plastic

Bracket clamps behind roller chassis

UV Inhibitors


Description	Part no.	Weight ea.	Price ea.
Roller Cover - Top	5975-T	3 lbs.	
Roller Cover - Bottom	5975-B	3 lbs.	

Panic Exit Hardware

6000

Surface Mount Exit Bar

Reversible Grade 1
 Release activates at 8 lbs. of touch pressure
 Eliminates pinching fingers anywhere on bar
 Hex key dogging device
 Dead latch UL Listed
 Painted aluminum finish



Description	Part no.	Weight ea.		Price ea.
Surface Mount Exit Bar	6000	10 lbs.		

6003 – 36" 6004 – 48"
"Detex" Surface Mount Exit Bar

Reversible
 Hex key dogging device
 Stainless steel latch mechanism
 Anodized aluminum bar
 Black ABS cover on head and push bar
 Weather resistant



Description	Part no.	Weight ea.		Price ea.
Detex 36" Exit Bar	6003	14 lbs.		
Detex 48" Exit Bar	6004	16 lbs.		

6006 – 36" 6008 – 48"
"Detex" Surface Mount Exit Bar with Alarm

Reversible
 Stainless steel latch mechanism
 Anodized aluminum bar
 Black ABS cover on head and push bar
 Weather resistant
 Approximately 100db alarm
 Powered by a 9 volt battery
 Low battery alert



Description	Part no.	Weight ea.		Price ea.
Detex 36" Exit Bar w/Alarm	6006	15 lbs.		
Detex 48" Exit Bar w/Alarm	6008	18 lbs.		

Panic Exit Hardware


6005 "Detex" Surface Mount Exit Bar with Switch

Weatherized, reversible

Always used in conjunction with other security items.

Provides a normally closed or normally open contact that can be used for a variety of different uses such as turning on a remote horn or strobe, turning of a magnetic lock during egress.

This bar can be used in kits in place of 6003 or 6004



6005 Bar With Switch

Description	Part no.	Weight ea.		Price ea.
Detex 36" Exit Bar w/Switch	6005-36	14 lbs.		
Detex 48" Exit Bar w/Switch	6005-48	16 lbs.		

6009 "Detex" Battery Powered Door or Wall Mount Exit Alarm

Designed for applications that require an alarmed exit device on secured doors or gates.

Alarm will sound when someone attempts unauthorized exit.

Available in Gray or Black



Description	Part no.	Weight ea.		Price ea.
Detex Battery Alarm	6009-Gray	2 lbs.		
Detex Battery Alarm	6009-Black	2 lbs.		

6961 "Detex" Battery Eliminator

Designed to power 9 volt security devices without relying on batteries.

Powers up to 3 battery operated devices.

Provides field selectable 6 or 9 volts DC Power.



Description	Part no.	Weight ea.		Price ea.
Detex Battery Eliminator	6961	4 lbs.		

Panic Exit Hardware ACCESSORIES

6010 / 6013


Keyed Alike Cylinder

Solid cast brass

5-pin Schlage keyway with 2 keys

Allows use of same key for multiple gates

Description	Part no.	Weight ea.		Price ea.
Keyed Alike Cylinder - Rim	6010	1 lb.		
Keyed Alike Cylinder - Mortise	6013	1 lb.		



6011 / 6012


Interchangeable Core Rim Cylinder Housing

Use with a "Best" core

Typically used for customers that want to match existing locksets at their facilities

Works for 6 or 7 pin

Description	Part no.	Weight ea.		Price ea.
Outer Core Cylinder - Rim	6011	1 lb.		
Outer Core Cylinder - Mortise	6012	1 lb.		



6015

Gate Latch Protector

Use on existing gate application where gap is larger than 1"

Provides added security 24" tall

Description	Part no.	Weight ea.		Price ea.
Gate Latch Protector - Silver	6015-S	5 lbs.		
Gate Latch Protector - Black	6015-B	5 lbs.		



6020

Strike Latch Receiver Bracket / Strike not included

Adjustable

Stainless steel U-bolt, nuts, tek-screws

1/4" steel with powder-coat finish

Available for 3" or 4" Round or Square Post

Description	Part no.	Weight ea.		Price ea.
Receiver - Silver	6020-S	2 lbs.		
Receiver - Black	6020-B	2 lbs.		




Panic Exit Hardware

6025

Lock Box

This lock box is meant to attach to our adjustable panels. Box is held on with two countersunk 3/16" machine screws and have two tabs which insert into plate.

Measures 2" L x 2" W x 2" D




Description	Part no.	Weight ea.	Price ea.
Lock Box - Silver	6025-S	1 lb.	
Lock Box - Black	6025-B	1 lb.	

6800

Extension Plate

This plate allows for use on wider gate frames. Adding the plate will allow for a maximum gate width of 74". For use with any kit.

Description	Part no.	Weight ea.	Price ea.
Extension Plate - Silver	6800-S	13 lbs.	
Extension Plate - Black	6800-B	13 lbs.	



6500 6600 6700

Adjustable Mounting Plate Sets


Mounting plates 24" tall adjusts for 29" to 52" wide. Comes with 6 stainless steel mounting screws.

Basic Plate - for use with all panic bars without lock box.

Ultra - has holes for lock box and 6000 exit bar.

Detex - has holes for lock box and 6003, 6004, 6005 bar.

Description	Part no.	Weight ea.	Price ea.
Basic Plate - Silver	6500-S	26 lbs.	
Basic Plate - Black	6500-B	26 lbs.	
Ultra Plate - Silver	6600-S	26 lbs.	
Ultra Plate - Black	6600-B	26 lbs.	
Detex Plate - Silver	6700-S	26 lbs.	
Detex Plate - Black	6700-B	26 lbs.	



Panic Exit Hardware Complete Kit Without Lock Box

6030

Standard Kit – No Lock Box

Kit includes the following:

Mounting plate 24" tall, adjusts for 29" to 52" gate frame


Adjustable receiver bracket for 3" O.D. post*

Stainless steel tek-screws and fasteners included

#6000 exit bar

ALLOWS FOR EXIT ONLY

Requires holes to be drilled for exit bar



Description	Part no.	Weight ea.		Price ea.
Standard Kit - Silver Plate	6030-S	38 lbs.		
Standard Kit - Black Plate	6030-B	38 lbs.		

6035

Standard Kit – No Lock Box – “Detex” Exit Bar

Kit includes the following:

Mounting plate 24" tall, adjusts for 29" to 52" gate frame


Adjustable receiver bracket for 3" O.D. post*

Stainless steel tek-screws and fasteners included

#6003 or #6004 “Detex” weather resistant exit bar

ALLOWS FOR EXIT ONLY

Requires holes to be drilled for exit bar



Description	Part no.	Weight ea.		Price ea.
Standard Kit w/“Detex” 36" Bar - Silver Plate	6035-S36	44 lbs.		
Standard Kit w/“Detex” 48" Bar - Silver Plate	6035-S48	44 lbs.		
Standard Kit w/“Detex” 36" Bar - Black Plate	6035-B36	44 lbs.		
Standard Kit w/“Detex” 48" Bar - Black Plate	6035-B48	44 lbs.		

6037

Standard Kit – No Lock Box – “Detex” Exit Bar with Alarm

Kit includes the following:

Mounting plate 24" tall, adjusts for 29" to 52" gate frame


Adjustable receiver bracket for 3" O.D. post*

Stainless steel tek-screws and fasteners included

#6006 or #6008 “Detex” weather resistant exit bar with alarm

ALLOWS FOR EXIT ONLY

Requires holes to be drilled for exit bar



Description	Part no.	Weight ea.		Price ea.
Standard Kit w/alarm 36" Bar - Silver Plate	6037-S36	46 lbs.		
Standard Kit w/alarm 48" Bar - Silver Plate	6037-S48	46 lbs.		
Standard Kit w/alarm 36" Bar - Black Plate	6037-B36	46 lbs.		
Standard Kit w/alarm 48" Bar - Black Plate	6037-B48	46 lbs.		

*Other sizes upon request.

Panic Exit Hardware Complete Kit With Lock Box

6040

Deluxe Exit Bar Kit

Kit includes the following:

Surface mount exit bar #6000




Mounting plate 24" tall, adjustable from 32" to 52" gate frame

Lock box – Allows for entry from outside of gate

Keyed cylinder with 2 keys Pre-drilled holes for exit bar

Adjustable receiver bracket for 3" O.D. post with strike*

Stainless steel tek-screws and fasteners



Description	Part no.	Weight ea.		Price ea.
Deluxe Kit - Silver Plate	6040-S	41 lbs.		
Deluxe Kit - Black Plate	6040-B	41 lbs.		

6045

Superior Exit Bar Kit

Kit includes the following:

"Detex" surface mounted weather resistant exit bar #6003 or #6004

Mounting plate 24" tall, adjustable from 32" to 52" gate frame

Lock box – Allows for entry from outside of gate

Keyed cylinder with 2 keys Pre-drilled holes for exit bar

Adjustable receiver bracket for 3" O.D. post with strike*

Stainless steel tek-screws and fasteners

Description	Part no.	Weight ea.		Price ea.
Superior Kit - 36" Bar - Silver Plate	6045-S36	44 lbs.		
Superior Kit - 48" Bar - Silver Plate	6045-S48	44 lbs.		
Superior Kit - 36" Bar - Black Plate	6045-B36	44 lbs.		
Superior Kit - 48" Bar - Black Plate	6045-B48	44 lbs.		

6047

Superior Exit Bar Kit With Alarm

Kit includes the following:

"Detex" surface mounted weather resistant exit bar

with alarm #6006 or #6008

Mounting plate 24" tall, adjustable from 32" to 52" gate frame

Lock box – Allows for entry from outside of gate

Keyed cylinder with 2 keys Pre-drilled holes for exit bar

Adjustable receiver bracket for 3" O.D. post with strike*

Stainless steel tek-screws and fasteners

Description	Part no.	Weight ea.		Price ea.
Superior w/alarm - 36" Bar - Silver Plate	6047-S36	46 lbs.		
Superior w/alarm - 48" Bar - Silver Plate	6047-S48	46 lbs.		
Superior w/alarm - 36" Bar - Black Plate	6047-B36	46 lbs.		
Superior w/alarm - 48" Bar - Black Plate	6047-B48	46 lbs.		

*Other sizes upon request.

"Best" core cylinders available at an additional cost.

Panic Exit Hardware Outside Trim Options

6100*

Outside Trim for 6045 & 6047 Kits

Lever Style Handle

Lever Trims Are Handed And Easily Field Reversible

Mortise Cylinder w/2 Keys Core Cylinders Available

Aluminum Or Black Finish Available ADA Compliant

Description	Part no.	Weight ea.		Price ea.
Lever Handle - Classroom - Silver	6100-S	4 lbs.		
Lever Handle - Classroom - Black	6100-B	4 lbs.		
Lever Handle - Storeroom - Silver	6110-S	4 lbs.		
Lever Handle - Storeroom - Black	6110-B	4 lbs.		
Keyed alike if needed for multiple units	6013	1 lb.		

*AVAILABLE IN: Classroom Function - Outside lever is locked and unlocked by key.
Storeroom Function - Outside lever always needs key to unlock.



6200

Electrified Control Trim for 6045 & 6047 Kits

Mechanical Key Override

Electric Release Within Lever, Not Electric Strike

Handle Can Be Released By Any Access Control System Or


Remote Release 24VAC Produces Buzzing Sound

Black Finish Left or Right Handed - Need To Specify

Offers Fail Secure System Unlike Electromagnet Locks

24 v DC Power Supply Needed 24 v AC - Available

Description	Part no.	Weight ea.		Price ea.
Electrified Lever - Left Hand	6200LH	4.5 lbs.		
Electrified Lever - Right Hand	6200RH	4.5 lbs.		



6300

Mechanical Combination Lock for 6045 & 6047 Kits

Fully Mechanical


Large Easy To Depress Push Button

Exterior Access By Combination

Code Can Be Changed

Brush Chrome Finish

Description	Part no.	Weight ea.		Price ea.
Mechanical Lock	6300	5 lbs.		



Mechanical Keyless Locksets

6400 Combo Lock for Panic Bar Kits

Combo Lock Recessed Buttons
Code Can Be Changed Marine Grade Finish

Description	Part no.	Weight ea.		Price ea.
Combo Lock - Panic Bar	6400	3.5 lbs.		



6400

2835 Combo Lock / Lever Handle

Passage Function Free Exit Lever Handle
Changeable Handing Marine Grade Finish

Description	Part no.	Weight ea.		Price ea.
Lever/Passage	2835	3 lbs.		



2835

1150 Heavy Duty Combo Lock / Lever Handle

Passage Function Free Exit Lever Handle Recessed Buttons
Easy Changeable Combination Teflon Coated Interior

Description	Part no.	Weight ea.		Price ea.
HD Lever/Passage - Left Hand	1150LH	6 lbs.		
HD Lever/Passage - Right Hand	1150RH	6 lbs.		



1150

GB2500 Gate / Lock Box

Weldable Steel or Aluminum Lock Box
Fits #2835 Combo Lock 4 3/4" w x 7 5/8" h x 1 3/4" deep

Description	Part no.	Weight ea.		Price ea.
Steel Lock Box	GB2500	2.6 lbs.		
Aluminum Lock Box	GB2500AL	1.5 lbs.		



GB2500

GB1150 Gate / Lock Box

Weldable Steel or Aluminum Lock Box
Fits #1150 HD Combo Lock 4 3/4" w x 7 5/8" h x 1 3/4" deep

Description	Part no.	Weight ea.		Price ea.
Steel Lock Box	GB1150	2.6 lbs.		
Aluminum Lock Box	GB1150AL	1.5 lbs.		



GB1150

Gate Closers

TB175

Garden Gate Closer

Adjustable Closing Speed
 Left or Right Hand Gates
 Hold Open Function
 Suitable for Timber or Metal Gates
 Max Width Gate 54 inches
 Maximum Gate Weight 125 lbs.
 Maximum Opening Angle of 90 Degrees



Description	Part no.	Weight ea.		Price ea.
Garden Gate	TB175	2.5 lbs.		

TB200 TB400 TB600 Hydraulic Pedestrian Gate Closer

Quiet Operation
 Left or Right Hand Gates
 Hydraulic/Nitrogen Gas Controlled
 Closing Speed
 Maximum Opening Angle of 110 Degrees
 Available Black or Stainless Steel



Model	Gate Width	Gate Weight
TB200	52 Inches	125 lbs.
TB400	64 Inches	175 lbs.
TB600	72 Inches	250 lbs.


Description	Part no.	Weight ea.		Price ea.
Hydraulic Gate Closer - Black	TB200	6 lbs.		
Hydraulic Gate Closer - Black	TB400	6 lbs.		
Hydraulic Gate Closer - Black	TB600	6 lbs.		
Hydraulic Gate Closer - Stainless Steel	TB200SS	6 lbs.		
Hydraulic Gate Closer - Stainless Steel	TB400SS	6 lbs.		
Hydraulic Gate Closer - Stainless Steel	TB600SS	6 lbs.		

Gate Hinges

8000

Single Bearing Hinge

Ideal For Smaller Vehicular And Pedestrian Gates
 Unique Bushing System For Frictionless Movement
 Adjustable For Easy Onsite Installation
 Weight Capacity 500 lbs.



Description	Part no.	Weight ea.	Price ea.
Single Bearing Hinge	8000	1 lb.	

8010

Standard Hinge

Weight Capacity 2000 lbs.
 Dual Sealed, Maintenance Free Bearings
 Designed For Use On Both Round and Square Post Applications
 Slotted Yoke With .5" Of Adjustment
 Steel With Zinc Plating or Aluminum



Description	Part no.	Weight ea.	Price ea.
Hinge - Steel	8010-S	2.5 lbs.	
Hinge - Aluminum	8010-A	2.5 lbs.	
Hinge Steel/Bolt On Style	8010-BO	2.5 lbs.	


8020

Heavy Duty Hinge


Weight Capacity 3,000 lbs.
 Three Sealed, Maintenance Free Bearings
 Steel With Zinc Plating




Description	Part no.	Weight ea.	Price ea.
Heavy Duty Hinge	8020	3.5 lbs.	



(#8000)



(#8010)



(#8020)

DON'T

PANIC!



PANIC DOOR HARDWARE

Model #6047-B



Lock box makes it possible to gain access from outside the gate by using a key. Available with keyed alike cylinders. Can also be used with a "Best" core cylinder.



Model #6040-S



EXIT BAR



"DETEX" EXIT BAR



"DETEX" EXIT BAR with ALARM (9 volt battery)

DAC Industries offers what you need for exit bar installations that will satisfy you and your customer. We have the "Detex" line available along with other devices for the best in exit bar hardware. The mounting plate is made with 16 gauge electro-galvanized steel with a powder coat finish. It adjusts to fit different gate sizes. The mounting plate with lock box is available in silver or black finish. The adjustable receiving latch makes installation easy. All fasteners are stainless steel. Exit bars also sold separately.



Use this guard for a more finished look or additional security. Can be used on existing gate applications where there is a 2" or greater gap.



Outside trim options available.

▲ GUARD sold separately.

- Eliminate day long fabrication of exit door systems.
- Adjustable mounting plate for surface mounted exit bars.
- 24" tall adjustable for 32" to 52" wide gate frame.
- Available with or without lock box.
- Adjustable receiving latch.
- All screws and hardware included.

TERMS and CONDITIONS

- Minimum order - \$100.00 • FOB Grand Rapids, MI
- Prices and specifications subject to change without notice.
- Terms: 2% 10 days, net 30 days to approved accounts.
- COD to non-approved accounts.
- All major credit cards accepted.
- Checks returned require a \$25.00 handling charge.



615 Eleventh St. N.W.
Grand Rapids, MI 49504
PHONE: 1-800-888-9768
FAX: 616-235-2901
WEB: www.dacindustries.com