

The logo for DAC Industries, Inc. features the letters 'DAC' in a bold, italicized, sans-serif font. The letters are white and set against a dark blue background. To the left of the letters, there are several horizontal white lines of varying lengths, creating a sense of motion or speed. Below the letters, the word 'INDUSTRIES, INC.' is written in a smaller, white, sans-serif font.

DAC

INDUSTRIES, INC.

PRODUCT CATALOG



Quality Products for the




Fence Industry Since 1985

To order call TOLL FREE 1-800-888-9768
Email: info@dacindustries.com

Hardware Bags & Signs

- Replacement Hardware for the Auto-Latch
- Includes two brackets with nuts and bolts plus two carriage bolts with washers and nuts

Description	Part no.	Weight ea.	Price Break	Price ea.
Sign - with Instructional Diagram	Sign - Auto-Latch			
1 3/8" Gate Frame	AL Bag1	.4 lbs.		
1 5/8" Gate Frame	AL Bag2	.4lbs.		
2" Gate Frame	AL Bag3	.4lbs.		



Auto-Latch Gate Stop

Metal Gate Stop for Residential Auto-Latch

- Black finish
- Allows gate to only swing one direction
- Hardware included

Description	Part no.	Weight ea.	Price Break	Price ea.
Metal Gate Stop	1599	.65 lbs.		



Mini-Latch

1 3/8" Gate Frame

- Ideal for Kennels
- Available for 1 3/8", 2", or 2 1/2" Gate Post with a Short Handle

Description	Part no.	Weight ea.	Price Break	Price ea.
1 3/8" Short Handle	1499	.95 lbs.		



Residential Auto-Latch*

1 3/8" Gate Frame

- Self-latching
- Allows gate to swing both ways
- Can be padlocked from either side

Mix any size latch for price break. Sold individually or 10 or 25/box.

Description	Part no.	Weight ea.	Price Break	Price ea.
1 3/8" x 1 3/8"	1500	1.3 lbs.	1-24	
1 3/8" x 2"	1502	1.3 lbs.	25-99	
1 3/8" x 2 1/2"	1525	1.3 lbs.	100+	
1 3/8" x 3"	1527	1.3 lbs.		

***When installed properly, these latches meet Consumer Product Safety Commission guidelines for swimming pool latches.**



Commercial Auto-Latch*

1 5/8" or 2" Gate Frame

- Self-latching
- Allows gate to swing both ways
- Can be padlocked from either side

Mix any size latch for price break. Sold individually or 10 or 25/box.

Description	Part no.	Weight ea.	Price Break	Price ea.
1 5/8" x 2"	1562	1.35 lbs.	1-24	
1 5/8" x 2 1/2"	1565	1.35 lbs.	25-99	
1 5/8" x 3"	1567	1.40 lbs.	100+	
2" x 2"	1572	1.40 lbs.		
2" x 2 1/2"	1575	1.40 lbs.		
2" x 3"	1577	1.45 lbs.		



Square Auto-Latch*

- Designed for Ornamental Fences
- Self-latching
- Allows gate to swing both ways
- Can be padlocked from either side

Description	Part no.	Weight ea.	Price Break	Price ea.
1" x 1 1/2"	2015	1.9 lbs.		
1" x 2"	2020	1.9 lbs.		
1" x 2 1/2"	2025	1.9 lbs.		
1 1/4" x 1 1/2"	2215	1.9 lbs.		
1 1/4" x 2"	2220	1.9 lbs.		
1 1/4" x 2 1/2"	2225	1.9 lbs.		
1 1/2" x 1 1/2"	2515	1.9 lbs.		
1 1/2" x 2"	2520	1.9 lbs.		
1 1/2" x 2 1/2"	2525	1.9 lbs.		
Adapter Kit	2999	.9 lbs.		

Adapter Kit includes: 1" and 1 1/4" inserts, 1 1/2", 2" and 2 1/2" collars



D&D Technologies MagnaLatch Series 3 Top Pull*

- Total Latch Height is 20 1/2"
- Visual Indicator provides locked & unlocked status
- 6-pin re-keyable security lock
- Superior performance in extreme climates
- Industry's greatest gate/post movement tolerance
- Innovative vertical & horizontal adjustment
- T-track for superior fixing strength
- Lift knob is more ergonomic and child resistant
- Industry leading magnetic latching technology

Description	Part no.	Weight ea.	Price Break	Price ea.
MagnaLatch Series 3 Top Pull	ML3TPKA	1.71 lbs.		
Round post adapter kit	ML3RPK	.54 lbs.		




Residential Strong Arm

1 3/8" Strong Arm Latch | Galvanized Steel

- Eliminates Drop Rods
- Easily Installed
- Lockable
- For Double Drive Gates

Sold Individually or 12/box.

Description	Part no.	Weight ea.	Price Break	Price ea.
Fits 1 3/8" Frame	4138	2.9 lbs.	1-11	
<i>Adjusts for 2" to 4" gap</i>			12+	




Commercial Strong Arm

1 5/8" and 2" Strong Arm Latch | Heavy Duty Galvanized Steel

- Eliminates Drop Rods
- Easily Installed
- Lockable
- For Double Drive Gates

Sold Individually or 6/box.

Description	Part no.	Weight ea.	Price Break	Price ea.
1 5/8" or 2" Round Frame	4000	9 lbs.	1-5	
<i>Adjusts for 2" to 6" gap</i>			6-11	
2" Square Frame	4090	8.5 lbs.	12-47	
<i>Adjusts for 2 1/2" to 3 1/4" gap</i>				




Walk Gate Strong Arm

Available for 2 1/2", 3" or 4" Posts | Heavy Duty Galvanized Steel

- Lockable
- 1 5/8" or 2" Frame
- Adjusts for 2" to 5" Gap

Description	Part no.	Weight ea.	Price Break	Price ea.
2 1/2" Latch Post	4250	4.5 lbs.	1-9	
<i>Sold individually or 12/box</i>			10+	
3" Latch Post	4300	4.5 lbs.		
<i>Sold individually or 12/box</i>				
4" Latch Post	4400	4.5 lbs.		
<i>Sold individually or 10/box</i>				




Replacement Parts Bag

Replacement parts for Strong Arm latches

- Commercial - Fits 1 5/8" or 2" frame
- Residential - Fits 1 3/8" frame

Description	Part no.	Weight ea.	Price ea.
Commercial DD Round	SA Bag		
Residential DD	SA Bag - Res DD		
Walk Gate - Round	SA WG Bag		



Black Strong Arm for ROUND Pipe

- Black Powder Coat Finish
- Long Lasting Durability


Description	Part no.	Weight ea.	Price Break
DOUBLE DRIVE GATE LATCH			
1 3/8" Frame	4138-B	2.9 lbs.	1-5
1 5/8" Frame	4000-B	9 lbs.	6-11
WALK GATE LATCH			12+
2 1/2" Latch Post	4250-B	5.5 lbs.	
3" Latch Post	4300-B	5.5 lbs.	
4" Latch Post	4400-B	5.5 lbs.	



Black Strong Arm for SQUARE Pipe

- Black Powder Coat Finish
- Long Lasting Durability
- Adapter available for use on 1 3/4" square pipe. Double drive latch requires two adapters.

Description	Part no.	Weight ea.	Price Break
DOUBLE DRIVE GATE LATCH			
2" Frame	4090-B	7 lbs.	1-5
WALK GATE LATCH			6-11
2 1/2" Latch Post	4290-B	4 lbs.	12+
3" Latch Post	4390-B	4 lbs.	
4" Latch Post	4490-B	4 lbs.	
6" Latch Post	4690-B	4 lbs.	
Adapter	4999	1 lb.	



Walk Gate Latches
require 3" Gap

Double Drive Latch (requires 2 Adapters)
Adjusts 2 1/2" to 3 1/4" gap

Sentry Latch


Adjust for 1" to 2 1/2" Gap

- Lockable
- Black Powder Coat Finish
- Use this latch on dumpster gate frames
- Access from one side only

Description	Part no.	Weight ea.	Price Break
Sentry Latch	7000	4.75 lbs.	

5/16" x 3 1/2" stainless steel machine screws included

Use on steel gate frames, wood on steel, ornamental, polyvinyl and wood gates




Stealth Cantilever Rollers

5200

Roll Gate Track Roller with Bracket Assembly | Nylon

- Wheel Diameter 4"
- Frame Pipe Size 1 5/8" or 2" O.D.
- Fits 1 5/8 O.D. Track




Description	Part no.	Weight ea.	Price Break	Price ea.
Roll Gate Track Roller	5200	5 lbs.		

5350

Square Cantilever Gate Roller Assembly | Graphite Impregnated Nylon

- 2" Square Pipe Roller
- UV Inhibitors
- 2,200 lb. load rating on single bearing, 3,500 lb. load rating on double bearings*

Sold individually or 4/box.



Description	Part no.	Weight ea.	Price Break	Price ea.
2" Sq. Gate Frame - 4" Rnd. Post	5350	11 lbs.		
2" Sq. Gate Frame - 3" Sq. Post	5350-3S	11 lbs.		
2" Sq. Gate Frame - 4" Sq. Post	5350-4S	11 lbs.		
2" Sq. Gate Frame - 4" Rnd. Post	5350-HD*	12 lbs.		
2" Sq. Gate Frame - 3" Sq. Post	5350-3SHD*	12 lbs.		
2" Sq. Gate Frame - 4" Sq. Post	5350-4SHD*	12 lbs.		
2" Sq. Gate Frame - 6" Sq. Post	5350-6S*	14 lbs.		




5500

Round Cantilever Gate Roller Assembly | Graphite Impregnated Nylon

- 2" Round Pipe Roller
- UV Inhibitors
- 2,200 lb. load rating

Sold individually or 4/box.



Description	Part no.	Weight ea.	Price Break	Price ea.
1 7/8" Round Gate Frame-4" Round Post	5500	11 lbs.		

Cantilever Roller Gate Stop

Metal Gate Stop

- Galvanized finish

Description	Part no.	Weight ea.	Price Break	Price ea.
Metal Gate Stop	CR Gate Stop	2.10 lbs.		



- Custom size rollers available
- Upgrade any roller to Double Bearing


5800

Round Cantilever Gate Roller Assembly | Graphite Impregnated Nylon

- 2 1/2" Round Pipe Roller
- UV Inhibitors
- 2,200 lb. load rating on single bearing, 3,500 lb. load rating on double bearings*

Sold individually or 4/box.

Description	Part no.	Weight ea.	Price Break	Price ea.
2 1/2" Rnd. Gate Frame - 4" Rnd. Post	5800	11 lbs.		
2 1/2" Rnd. Gate Frame - 3" Rnd. Post	5800-3	11 lbs.		
2 1/2" Rnd. Gate Frame - 3" Rnd. Post	5800-3HD*	12 lbs.		
2 1/2" Rnd. Gate Frame - 4" Rnd. Post	5800-4HD*	12 lbs.		



5658

Premium Cantilever Gate Roller Assembly | Heavy Duty

- 2 1/2" Round Pipe Roller
- UV Inhibitors
- Double Bearings standard. Load rating 3,500 lbs.

Sold individually or 4/box.

Description	Part no.	Weight ea.	Price Break	Price ea.
2 1/2" Rnd. Gate Frame - 6 5/8" Rnd. Post	5658	15 lbs.		



5858

Premium Cantilever Gate Roller Assembly | Heavy Duty

- 2 1/2" Round Pipe Roller
- UV Inhibitors
- Double Bearings standard. Load rating 3,500 lbs.

Sold individually or 4/box.

Description	Part no.	Weight ea.	Price Break	Price ea.
2 1/2" Rnd. Gate Frame - 8 5/8" Rnd. Post	5858	17 lbs		



5950

Protective Roller Cover | Tough Polyethylene Plastic

- UV Inhibitors
- Custom fit for Stealth Roller

Description	Part no.	Weight ea.	Price Break	Price ea.
Roller Cover - Top	5950-T	3 lbs		
Roller Cover - Bottom	5950-B	3 lbs		



5975

Universal Roller Cover | Tough Polyethylene Plastic

- UV Inhibitors
- Bracket clamps behind roller chassis

Description	Part no.	Weight ea.	Price Break	Price ea.
Roller Cover - Top	5975 - T	3 lbs		
Roller Cover - Bottom	5975 - B	3 lbs		



3000

Everlock Multi-User

- Simplistic design
- For use on round pipe
- Accepts up to (4) users
- Protective zinc coating
- Approximate Dimensions: 7.5" x 5.25" x 0.625"



Description	Part no.	Weight ea.	Price ea.
Everlock Multi-User	3000	2.5 lbs.	

3100

Everlock Multi-User Stacked Lock Chain SLC4

- For use on any type of gate
- Use with 3/8" chain
- Accepts square link chain
- Bolt on or weld on application of any angle, Bolt kit available - part number 3900
- Protective zinc coating
- Approximate Dimensions: 4.5" x 8.5" x 2"



Description	Part no.	Weight ea.	Price ea.
Stacked Lock Chain 4 User	3100	3.5 lbs.	

3900

Bolt Kit for model SLC/3100



Description	Part no.	Weight ea.	Price ea.
SLC Bolt Kit	3900		

3200

Everlock Multi-User Stacked Lock Tube SLT4

- For use on swing gates
- Bar system eliminates need for chain
- Reversible for left side or right side access
- Bolt on or weld on application, bolt kit available - part number 3950
- Accepts up to (4) users
- Protective zinc coating
- Approximate Dimensions: 18" x 8" x 3"



Description	Part no.	Weight ea.	Price ea.
Stacked Lock Tube 4 user	3200	10 lbs.	

3300

Everlock Multi-User Sharelox SLX4

- Heavy duty system for added protection
- Bolt on or weld on installation, bolt kit available - part number 3950
- Reversible for left side or right side access
- Accepts puck locks for additional security
- Bolt cutter guards between each lock
- Accepts up to (4) users
- Protective zinc coating
- Approximate Dimensions: 21.5" x 6" x 3.5



Description	Part no.	Weight ea.	Price ea.
Sharelox 4 user	3300	10 lbs.	

3950

Bolt Kit for model SLT and SLX / 3200 and 3300



Description	Part no.	Weight ea.	Price ea.
SLT and SLX Bolt Kit	3950		


Multiple user configurations for 6, 8, 10 or 12 locks available by special order.

Hinges & Closers

8000

Single Bearing Hinge

- Ideal for smaller vehicular and pedestrian gates
- Unique bushing system for frictionless movement
- Use on both round & square post application
- Maximum gate weight 200 lbs.
- Adjustable for easy on site installation
- Sold individually
- CI3600



Description	Part no.	Weight ea.	Price ea.
Single Bearing Hinge	8000	1 lb.	

8010

Standard Hinge

- Max gate weight 750 lbs. on steel hinge
- Max gate weight 400 lbs. on aluminum hinge
- Max gate weight 750 lbs. on bolt on steel hinge
- Dual sealed, maintenance free bearings
- Designed for use on both round and square post applications
- Slotted yoke with .5" of adjustment
- Zinc Plated
- Sold individually
- CI3000, CI3400, CI3700



Description	Part no.	Weight ea.	Price ea.
Hinge - Steel	8010-S	2.5 lbs.	
Hinge - Aluminum	8010-A	2.5 lbs.	
Hinge Steel/Bolt On Style	8010-BO	2.5 lbs.	

8020


Heavy Duty Hinge

- Max gate weight 1,000 lbs.
- Three sealed, maintenance free bearings
- Steel with zinc plating
- Slotted yoke, round and square
- Sold Individually
- CI3500




Description	Part no.	Weight ea.	Price ea.
Heavy Duty Hinge	8020	3.5 lbs.	


#8000



#8010



#8020



8030

Self-Closing Heavy Duty Hinge

- Max gate weight 750 lbs., self-closes up to 300 lbs.
- Dual sealed, maintenance free bearings
- Designed for use on both round and square post applications
- Slotted yoke with .5" of adjustment
- Steel With zinc Plating
- 5 tension adjustment
- Sold as a pair; one self-closing hinge and one steel hinge
- CI3850

Description	Part no.	Weight ea.	Price ea.
Self Closing Hinge	8030	3.5 lbs.	



Tru-Close Round Post Hinge

Pair Heavy Duty Round Post Hinge

- For use on gates up to 132 lbs.

Description	Part no.	Weight ea.	Price ea.
1 3/8 & 1 5/8 O.D. frame 2", 2 1/2", 3" O.D. post	TCHDRND1 - MK2	5.51 lbs.	
2" O.D. frame 2" or 3" O.D. post	TCHDRND2 - MK2	5.51 lbs.	



Tru-Close Regular Duty Hinge

Pair Regular Duty Tru-Close hinges

- Self-closing max 66 lbs.
- Alignment legs for added strength and ease of installation
- Adjustable, self-closing tension from either end
- No visible fasteners

Description	Part no.	Weight ea.	Price ea.
Regular duty hinge	TCA1L2S3 - black	.74 lbs.	



Tru-Close Heavy Duty Multi-Adjust Hinge

Pair Heavy Duty Tru-Close hinges

- Self-closing max 154 lbs.
- Adjusts horizontally, vertically and for tension
- Convenient, reliable performance
- Quick, self-closing adjustment
- Smooth, even closure
- Easy install
- Ideal for large, heavy or high-traffic vinyl or wooden gates

Description	Part no.	Weight ea.	Price ea.
Multi-adjust hinge, 2 legs	TCHDMA1	2.82 lbs.	



TB175**Garden Gate Closer**

- Adjustable closing speed
- Hold open function
- Max gate width 54"
- Maximum opening angle of 90 degrees
- Left or right hand gates
- Suitable for timber or metal gate
- Maximum gate weight 125 lbs.



Description	Part no.	Weight ea.	Price ea.
Garden Gate	TB175	2.5 lbs.	

TB200 TB400 TB600**Hydraulic Pedestrian Gate Closer**

- Quiet operation
- Hydraulic/nitrogen gas controlled closing speed
- Available black or stainless steel
- Left or right hand gates
- Maximum opening angle of 110 degrees

TB200 - 36" - 52", 125 lbs. TB400 - 40" - 64", 175 lbs. TB600 - 44" - 72", 250 lbs.

Description	Part no.	Weight ea.	Price ea.
Hydraulic Gate Closer <i>Black</i>	TB200	6 lbs.	
Hydraulic Gate Closer <i>Black</i>	TB400	6 lbs.	
Hydraulic Gate Closer <i>Black</i>	TB600	6 lbs.	
Hydraulic Gate Closer <i>Stainless Steel</i>	TB200SS	6 lbs.	
Hydraulic Gate Closer <i>Stainless Steel</i>	TB400SS	6 lbs.	
Hydraulic Gate Closer <i>Stainless Steel</i>	TB600SS	6 lbs.	

**Verticlose-STD Hydraulic vertical gate closer for 180° hinges**

- Ideal in combination with 180° hinges
- For left and right turning gates
- For gates up to 150 lbs. and 48" wide
- Vertically Mounted

Description	Part no.	Weight ea.	Price Break	Price ea.
Verticlose - STD	Verticlose - STD			

**SAMSON-2 Polyvalent hydraulic gate closer**

- Specially developed for outdoor use: industrial quality
- Closing speed unaffected by temperature changes
- Opening angle up to 150 degrees
- Horizontally mounted
- Adjustable closing, speed and pressure
- Round Post Adapter available
- For gates up to 200 lbs. and 80" wide

Description	Part no.	Weight ea.	Price Break	Price ea.
Samson-2	Samson-2			
Round Post Adapter	Round Post Adapter			

**MAMMOTH-180 Hydraulic 180° gate closer and hinge in one**

- Opening angle: 180°
- For left and right turning gates
- For gates up to 330 lbs. and 48" wide
- Vertically Mounted
- Adjustable closing speed & closing pressure

Description	Part no.	Weight ea.	Price Break	Price ea.
Hydraulic 180° gate closer & hinge - Silver	Mammoth-180-S			
Hydraulic 180° gate closer & hinge - Black	Mammoth-180-B			




Residential Self-Closing Hinge Sets

Self-closing, Self-rising, 1 3/8" Gate Frame

- Compatible with Auto-Latch
- Will allow gate to swing both ways

Mix any size for price break. Sold individually or 10/bag .

Description	Part no.	Weight ea.	Price Break	Price ea.
2" Gate Post	1602	3.2 lbs.	1-19	
2 1/2" Gate Post	1625	3.3 lbs.	20+	
3" Gate Post	1627	3.5 lbs.		




Commercial Self-Closing Hinge Sets

Self-closing, Self-rising, 1 5/8" or 2" Gate Frame

- Compatible with Auto-Latch
- Will allow gate to swing both ways

Mix any size for price break. Sold individually or 10/bag .

Description	Part no.	Weight ea.	Price Break	Price ea.
1 5/8" x 2"	1662	3.7 lbs.		
1 5/8" x 2 1/2"	1665	3.7 lbs.		
1 5/8" x 3"	1667	3.8 lbs.	1-19	
2" x 2"	1672	3.8 lbs.	20+	
2" x 2 1/2"	1675	3.8 lbs.		
2" x 3"	1677	3.9 lbs.		



One-Way Self-Closing Hinge Sets

Self-closing, Self-rising

- Compatible with Auto-Latch
- Will allow gate to swing only one way


Mix any size for price break. Sold individually or 10/bag .

Description	Part no.	Weight ea.	Price Break	Price ea.
1 3/8" x 2"	1602-OW	3.2 lbs.		
1 3/8" x 2 1/2"	1625-OW	3.3 lbs.		
1 3/8" x 3"	1627-OW	3.5 lbs.		
1 5/8" x 2"	1662-OW	3.7 lbs.		
1 5/8" x 2 1/2"	1665-OW	3.7 lbs.	1-19	
1 5/8" x 3"	1667-OW	3.8 lbs.	20 +	
2" x 2"	1672-OW	3.8 lbs.		
2" x 2 1/2"	1675-OW	3.8 lbs.		
2" x 3"	1677-OW	3.9 lbs.		



Sign

Description	Part no.	Weight ea.	Price Break	Price ea.
6" x 4" Sign - with Diagram	Sign-hinge			



The gravity type self-closing hinge set has no springs to wear out. By raising the bottom hinge set you can increase the force at which the gate will close. The hinges can also be used to compensate for slight grade changes making it possible to install the gate on a hill, yet keep the bottom of the gate close to the ground.



Surface Mount Exit Bar

- Reversible
- Dead latch
- Hex key dogging device
- Painted aluminum finish

- ANSI/BHMA 156.3
- Grade 1
- Type 1 rim device
- UL listed

Description	Part no.	Weight ea.	Price ea.
Surface Mount Exit Bar	6000	10 lbs.	



"Detex" Surface Mount Exit Bar

- Reversible
- Weather resistant
- Hex key dogging device
- Stainless steel latch mechanism
- Anodized aluminum bar
- Black ABS cover on head and push pad

- ANSI/BHMA 156.3
- Grade 1
- Type 1 rim device
- UL listed

Description	Part no.	Weight ea.	Price ea.
Detex 36" Exit Bar	6003	14 lbs	
Detex 48" Exit Bar	6004	16 lbs	



"Detex" Surface Mount Exit Bar with Alarm

- Reversible
- Weatherized
- Stainless steel latch mechanism
- Anodized aluminum bar
- Black ABS cover on head and push pad
- Approximately 100db alarm
- Powered by a 9 volt battery
- Low battery alert

- ANSI/BHMA 156.3
- Grade 1
- Type 1 rim device
- UL listed

Description	Part no.	Weight ea.	Price ea.
Detex 36" Exit Bar w/Alarm	6006	15 lbs.	
Detex 48" Exit Bar w/Alarm	6008	18 lbs	



ANSI 156.3 requires device to open with a force of 15 lbs. or less.

Panic Exit Hardware

"Detex" Surface Mount Exit Bar with Switch

- Reversible
- Weatherized
- Always use in conjunction with other security items
- Provides a normally closed or normally open contact that can be used for a variety of different uses such as turning on a remote horn or strobe, turning of a magnetic lock during egress

This bar can be used in kits in place of 6003 or 6004

- ANSI/BHMA 156.3
- Grade 1
- Type 1 rim device
- UL listed

Description	Part no.	Weight ea.	Price ea.
Detex 36" Exit Bar w/Switch	6005-36	14 lbs.	
Detex 48" Exit Bar w/Switch	6005-48	16 lbs.	



Electromechanical Bar

- Low profile design requires only 1/4" movement for activation
- Can be field cut to accommodate non-standard openings up to 48"
- Activates a DPDT 5 Amp rated output when pushed which will allow free egress or initiate the delay on an exit delay timer
- Four individual switches ensure reliable, redundant operation
- All metal construction
- 16 ft. [4.8m] 22AWG 6 conductor cable and armored door cord included
- MagnaCare® lifetime replacement, no fault warranty
- Operating Temperature: -4 to +185F [-20 to +85C]
- Meets "no special tools or knowledge" code requirement
- Weather resistant

- ANSI/UL294 listed

Description	Part no.	Weight ea.	Price Break	Price ea.
WEMB - 36", Black Anodized, weather resistant	6930	7		
WEMB - 48", Black Anodized, weather resistant	6940	9		



Detex Advantex 10 Series Weatherized Exit Bar

- Tough and durable design for years of trouble-free service in high-use, high-abuse or inclement weather environments
- Fast and accurate installation
- Minimal door prep saves time and money
- Outside trims are easily changed or re-keyed without removing device from door
- Patented mounting plate and strike locator system replaces paper templates
- Stainless steel deadlocking, Pullman-type latch bolt
- Assembled using components resistant to temperature, dust, driving rain and salt fog
- Tested beyond 1,000,000 cycles - Twice the cycling required for Grade 1 UL testing
- All exposed surfaces are finished over stainless steel with PVD, an environmentally-friendly finishing process
- Non-handed
- Heavy-duty angled end-cap deflects damage away from device
- Field sizeable
- 1/8 turn hex or cylinder dogging
- Fasteners made of stainless steel 316 material

- ANSI/BHMA 156.3
- Grade 1
- Type 1 rim device
- UL listed


Description	Part no.	Weight ea.	Price Break
36" Detex Advantex 10 Series Weatherized Exit Bar	10003	14 lbs.	
48" Detex Advantex 10 Series Weatherized Exit Bar	10004	16 lbs.	



Extension Plate

- Allows for use on wider gate frames
- Adding this plate will allow for maximum gate width of 74". For use with any kit.


Description	Part no.	Weight ea.	Price ea.
Extension Plate - Silver	6800-S	13 lbs.	
Extension Plate - Black	6800-B	13 lbs.	



Adjustable Mounting Plate Sets

- Mounting plates 24" tall, adjusts for 29" to 52" wide gate frame
- Comes with 6 stainless steel mounting screws
- Basic plate - for use with all panic bars without lock box
- Ultra - has holes for lock box and 6000 exit bar
- 12" tall plate available
- Detex has holes for lock box and 6003, 6004, 6005, 6006, 6008, 10003, 10004

Description	Part no.	Weight ea.	Price Break	Price ea.
Basic Plate - Silver	6500-S	26 lbs.		
Basic Plate - Black	6500-B	26 lbs.		
Ultra Plate - Silver	6600-S	26 lbs.		
Ultra Plate - Black	6600-B	26 lbs.		
Detex Plate - Silver	6700-S	26 lbs.		
Detex Plate - Black	6700-B	26 lbs.		



Keyed Alike Cylinder

- Solid cast brass
- 5-pin Schlage keyway with 2 keys
- Allows use of same key for multiple gates


Description	Part no.	Weight ea.	Price Break	Price ea.
Keyed Alike Cylinder - Rim	6010	1 lb.		
Keyed Alike Cylinder - Mortise	6013	1 lb.		



Interchangeable Core Cylinder Housing

- Use with a "Best" core
- Typically used for customers that want to match existing lock sets at their facilities
- Works for 6 or 7 pin
- Customer to provide inner workings

Description	Part no.	Weight ea.	Price Break	Price ea.
Outer Core Cylinder - Rim	6011	1 lb.		
Outer Core Cylinder - Mortise	6012	1 lb.		





Gate Latch Protector

- Use on existing gate application where gap is larger than 1"
- Provides added security
- 24" tall

Description	Part no.	Weight ea.	Price ea.
Gate Latch Protector - Silver	6015-S	5 lbs	
Gate Latch Protector - Black	6015-B	5 lbs	



Half Moon Protector

- Use for added protection from outside tampering
- Mounts to hinge or latch post with self tapping screws
- Can be used on latch or hinge side of gate
- Available in Black or Silver
- 24" tall


Description	Part no.	Weight ea.
Half Moon Protector - Silver	6016-S	5 lbs.
Half Moon Protector - Black	6016-B	5 lbs.



Push Pad Protector

- Protects panic bar from being depressed with rope or wire from outside of gate
- Available in Red, Silver, or Black

Description	Part no.	Weight ea.
Push Pad Protector - Silver	6017-S	5 lbs.
Push Pad Protector - Black	6017-B	5 lbs.
Push Pad Protector - Red	6017-R	5 lbs.



Strike Latch Receiver Bracket

- 1" gap recommended, adjustable 5/8" to 2"
 - Stainless Steel U-bolt, nuts, tek-screws
 - 1/4" steel with powder-coat finish
 - Available for 2", 3" or 4" round or square
- Strike not included.*

Description	Part no.	Weight ea.	Price ea.
Receiver - Silver	6020-S	2 lbs.	
Receiver - Black	6020-B	2 lbs.	



Lock Box

- This lock box is meant to attach to our adjustable panels
 - Box is held on with 2 countersunk machine screws and has two tabs which insert into plate.
- Measures 2" L x 2" W x 2" D*


Description	Part no.	Weight ea.	Price ea.
Lock Box - Silver	6025-S	1 lb.	
Lock Box - Black	6025-B	1 lb	

Standard Kit – No Lock Box

- Surface mount exit bar #6000
- Mounting plate 24" tall, adjusts for 29" to 52" gate frame
- Adjustable receiver bracket for 3" O.D. post*
- Stainless steel tek-screws and fasteners included

ALLOWS FOR EXIT ONLY. Requires holes to be drilled for exit bar.

Description	Part no.	Weight ea.	Price Break	Price ea.
Standard Kit - Silver Plate	6030-S	38 lbs.		
Standard Kit - Black Plate	6030-B	38 lbs.		




Standard Kit - No Lock Box - “Detex” Exit Bar

- #6003 or #6004 “Detex” weather resistant exit bar
- Mounting plate 24" tall, adjusts for 29" to 52" gate frame
- Adjustable receiver bracket for 3" O.D. post*
- Stainless steel tek-screws and fasteners included

ALLOWS FOR EXIT ONLY. Requires holes to be drilled for exit bar.

Description	Part no.	Weight ea.	Price ea.
Standard Kit w/“Detex” 36" Bar - Silver Plate	6035-S36	44 lbs.	
Standard Kit w/“Detex” 48" Bar - Silver Plate	6035-S48	44 lbs.	
Standard Kit w/“Detex” 36" Bar - Black Plate	6035-B36	44 lbs.	
Standard Kit w/“Detex” 48" Bar - Black Plate	6035-B48	44 lbs.	




V40

Standard Kit - No Lock Box - “Detex” Exit Bar with Alarm

- #6003 or #6004 “Detex” weatherized exit bar
- Mounting plate 24" tall, adjusts for 29" to 52" gate frame
- Adjustable receiver bracket for 3" O.D. post*
- Stainless steel tek-screws and fasteners included

ALLOWS FOR EXIT ONLY. Requires holes to be drilled for exit bar.

Description	Part no.	Weight ea.	Price ea.
Standard Kit w/alarm 36" Bar - Silver Plate	6037-S36	46 lbs.	
Standard Kit w/alarm 48" Bar - Silver Plate	6037-S48	46 lbs.	
Standard Kit w/alarm 36" Bar - Black Plate	6037-B36	46 lbs.	
Standard Kit w/alarm 48" Bar - Black Plate	6037-B48	46 lbs.	




V40 x EB x W

Standard Kit – No Lock Box – Stainless Steel “Detex” Exit Bar


- “Detex” surface mounted weatherized, stainless steel exit bar #10003 or #10004
- Mounting plate 24" tall, adjustable from 29" to 52" gate frame
- Adjustable receiver bracket for 3" O.D. post*
- Stainless steel tek-screws and fasteners

ALLOWS FOR EXIT ONLY. Requires holes to be drilled for exit bar.


Description	Part no.	Weight ea.	Price ea.
Standard Kit – 36" Advantex Detex Bar – Silver Plate	10035-S36	46 lbs.	
Standard Kit – 48" Advantex Detex Bar – Silver Plate	10035-S48	46 lbs.	
Standard Kit – 36" Advantex Detex Bar – Black Plate	10035-B36	46 lbs.	
Standard Kit – 48" Advantex Detex Bar – Black Plate	10035-B48	46 lbs.	



10 x W




All kits available with a 12" tall mounting plate upon request.



Deluxe Exit Bar Kit

- Surface mount exit bar #6000
- Mounting plate 24" tall, adjusts for 32" to 52" gate frame
- Adjustable receiver bracket for 3" O.D. post*
- Lock box - allows for entry from outside of gate
- Keyed cylinder with 2 keys
- Pre-drilled holes for exit bar
- Stainless steel tek-screws and fasteners included

Description	Part no.	Weight ea.	Price ea.
Deluxe Kit - Silver Plate	6040-S	41 lbs.	
Deluxe Kit - Black Plate	6040-B	41 lbs.	




V40

Superior Exit Bar Kit - "Detex" Exit Bar

- "Detex" surface mounted weather resistant exit bar #6003 or #6004
- Mounting plate 24" tall, adjusts for 32" to 52" gate frame
- Adjustable receiver bracket for 3" O.D. post*
- Lock box - allows for entry from outside of gate
- Keyed cylinder with 2 keys
- Pre-drilled holes for exit bar
- Stainless steel tek-screws and fasteners included

Description	Part no.	Weight ea.	Price ea.
Superior Kit - 36" Bar - Silver Plate	6045-S36	44 lbs.	
Superior Kit - 48" Bar - Silver Plate	6045-S48	44 lbs.	
Superior Kit - 36" Bar - Black Plate	6045-B36	44 lbs.	
Superior Kit - 48" Bar - Black Plate	6045-B48	44 lbs.	




V40 x EB x W

Superior Exit Bar Kit - "Detex" Exit Bar with Alarm

- "Detex" surface mounted weatherized exit bar #6006 or #6008
- Mounting plate 24" tall, adjusts for 32" to 52" gate frame
- Adjustable receiver bracket for 3" O.D. post*
- Lock box - allows for entry from outside of gate
- Keyed cylinder with 2 keys
- Pre-drilled holes for exit bar
- Stainless steel tek-screws and fasteners included

Description	Part no.	Weight ea.	Price ea.
Superior w/alarm - 36" Bar - Silver Plate	6047-S36	46 lbs.	
Superior w/alarm - 48" Bar - Silver Plate	6047-S48	46 lbs.	
Superior w/alarm - 36" Bar - Black Plate	6047-B36	46 lbs.	
Superior w/alarm - 48" Bar - Black Plate	6047-B48	46 lbs.	



10 x W

Premium Exit Bar Kit - Stainless Steel "Detex" Exit Bar

- "Detex" surface mounted weatherized, stainless steel exit bar #10003 or #10004
- Mounting plate 24" tall, adjustable from 32" to 52" gate frame
- Adjustable receiver bracket for 3" O.D. post*
- Lock box - allows for entry from outside of gate
- Keyed cylinder with 2 keys
- Pre-drilled holes for exit bar
- Stainless steel tek-screws and fasteners

Description	Part no.	Weight ea.	Price ea.
Premium Kit - 36" Advantex Detex Bar - Silver Plate	10045-S36	46 lbs.	
Premium Kit - 48" Advantex Detex Bar - Silver Plate	10045-S48	46 lbs.	
Premium Kit - 36" Advantex Detex Bar - Black Plate	10045-B36	46 lbs.	
Premium Kit - 48" Advantex Detex Bar - Black Plate	10045-B48	46 lbs.	

* 2", 3", 4" round or square u-bolts available for all kits upon request

To order call TOLL FREE 1-800-888-9768
Email: info@dacindustries.com

6100-B

6100 Lever Style Handle

- Easily field reversible
- Mortise cylinder w/2 keys included
- Available aluminum or black finish
- ADA compliant


AVAILABLE IN: Classroom Function - Outside lever is locked and unlocked by key.
Can be left in locked or unlocked setting.
Storeroom Function - Outside lever always needs key to unlock.

Description	Part no.	Weight ea.	Price ea.
Lever Handle - Classroom - Silver	6100-S	4 lbs.	
Lever Handle - Classroom - Black	6100-B	4 lbs.	
Lever Handle - Storeroom - Silver	6110-S	4 lbs.	
Lever Handle - Storeroom - Black	6110-B	4 lbs.	
Keyed alike if needed for multiple units	6013	1 lb.	

6200 Electrified Control Trim


- Mechanical key override
- Electric release within lever, not electric strike
- Handle can be released by any access control system or remote release
- 24VAC produces buzzing sound
- Black finish
- Left or right handed – need to specify, not field reversible
- Offers fail secure system unlike electromagnetic locks
- 24 v DC power supply needed
- 24 v AC – available

Description	Part no.	Weight ea.	Price ea.
Electrified Lever - Left Hand	6200LH	4.5 lbs.	
Electrified Lever - Right Hand	6200RH	4.5 lbs.	



6300 Mechanical Combination Lock

- Fully mechanical
- Large easy to depress push buttons
- Exterior access by combination
- Code can be changed
- Brush chrome finish
- Knob turn



Description	Part no.	Weight ea.	Price ea.
Mechanical Combo Lock	6300	5 lbs.	

6400 - DAC Mechanical Combination Lock

- Combo lock with lever
- Code can be changed
- Recessed buttons
- Marine Grade Finish
- Includes lock box and Detex spindle for use with DAC panic bar kits
- Not field reversible



Description	Part no.	Weight ea.	Price ea.
Silver lock box - left hand	6400-DAC-SLH		
Silver lock box - right hand	6400-DAC-SRH		
Black lock box - left hand	6400-DAC-BLH		
Black lock box - right hand	6400-DAC-BRH		

6400-DAC-BLH



For use with 6045
and 6047 kits.

6400 - Mechanical Combination Lock for panic bar

- Code can be changed
- Recessed buttons
- Marine Grade Finish
- Combo lock with lever
- Not field reversible
- For use with non Detex brand panic bars

Description	Part no.	Weight ea.	Price ea.
-------------	----------	------------	-----------

Combo Lock - left hand	6400 - LH		
Combo Lock - right hand	6400 - RH		



2835 Combo Lock/Lever Handle

- Passage Function
- Free exit lever handle
- Field reversible
- Marine Grade Finish
- Changeable combination

Description	Part no.	Weight ea.	Price ea.
-------------	----------	------------	-----------

Combo Lock	2835	3 lbs.	
------------	------	--------	--



2835 - DC Dual Combination Lock/Lever Handle

- Passage Function
- Marine Grade Finish
- Changeable combination

Description	Part no.	Weight ea.	Price ea.
-------------	----------	------------	-----------

Dual Combo Lock	2835-DC	6 lbs.	
-----------------	---------	--------	--



GB2500 Gate/Lock Box

Weldable Steel or Aluminum Lock Box

Fits #2835 combo lock. 4 3/4" W x 7 5/8" H x 1 3/4" D

Description	Part no.	Weight ea.	Price ea.
-------------	----------	------------	-----------

Steel Lock Box	GB2500	2.6 lbs.	
Aluminum Lock Box	GB2500AL	1.5 lbs.	



1150 Heavy Duty Combo Lock/Lever Handle

- Passage Function
- Free exit lever handle
- Recessed buttons
- Changeable combination
- Teflon Coated Interior
- Dual combination available

Description	Part no.	Weight ea.	Price ea.
HD Lever/Passage - Left Hand	1150LH	6 lbs.	
HD Lever/Passage - Right Hand	1150RH	6 lbs.	



GB1150 Gate/Lock Box

Weldable Steel or Aluminum Lock Box

Fits #1150 HD combo lock. 4 3/4" W x 7 5/8" H x 1 3/4" D

Description	Part no.	Weight ea.	Price ea.
Steel Lock Box	GB1150	2.6 lbs.	
Aluminum Lock Box	GB1150AL	1.5 lbs.	



HANDING DIAGRAM



Handing is always determined by the hinge location on the exterior. As exit doors always swing outward, the handing can be LHR (hinge on left hand side) or RHR (hinge on right hand side).

2,000 lbs. Holding Force Gate Lock

- Holding Force: 2000lbs [907kg]
- Dimensions: 2-3/4"L x 7-1/4"W x 3-1/4"D
- Electrical: - 12 Volts Initial (Peak): (~1.0 sec.) @ 870mA - Reduced: 290mA Power Consumption: 3.5 Watts
- 24 Volts Initial (Peak): (~1.0 sec.) @ 720mA - Reduced: 170mA Power Consumption: 4.1 Watts
- Operating temperature: -58 to +167F [-50 to +75C]
- Indoor or outdoor use
- Finishes: Black Finish



Description	Part no.	Weight ea.	Price Break	Price ea.
Gate Lock, 12/24VDC	11000	6 lbs.		

Flex-Mount Gate Lock Bracket Kits

- Pre-configured kits include all lock mounting hardware and post shims
- Post brackets are pre-drilled, lock and strike brackets are pre-tapped
- 8" tall x 3/16" thick zinc-plated steel provides durability and long life
- Lock and strike brackets are reversible doubling the mounting variations
- Allows simple bolt on installation, or the entire system can be welded
- Allows superior adjustability of lock and strike before final welding
- Permits electronics to be mounted on either the fence post or gate post



Description	Part no.	Weight ea.	Price Break
Flex-Mount Kit for Sliding Gate	11010		
Flex-Mount Kit for Swing Gate	11020		

HES 9600 Electric Strike


- Outdoor Rated
- ANSI 250.13-2003 Severe Windstorm listed
- UL 1034 burglary-resistant listed and suitable for outdoor use
- UL 294 (6th Edition) listed
- ANSI/BHMA, A156.31 Grade 1 (#E09731, #E09732, #E09373)
- RoHS compliant
- .45 Amps at 12 VDC continuous duty
- .25 Amps at 24 VDC continuous duty
- Installs in metal or wood frames
- Separate base and cover for easy adjustments
- Stainless steel construction
- Tamper resistant
- Static strength 2,000 lbs.
- Dynamic strength 120 ft-lbs.
- Field selectable fail safe/fail secure
- Dual voltage 12 or 24 VDC
- Horizontal adjustment
- Non-handed
- Internally mounted solenoid
- Accommodates up to 3/4" Pullman latch
- LBM - Latchbolt monitor
- LBSM - Latchbolt strike monitor



Description	Part no.	Weight ea.	Price Break
Hes 9600 Electric Strike 630 finish	11100	1.75 lbs.	

1200 lbs. Holding Force Gate Magnalock®

- Patented instant release circuit - no residual magnetism
- Fully sealed electronics - tamper proof and weatherproof
- Ten feet [3.05m] of jacketed, stranded conductor
- Automatic dual voltage - no field adjustment required
- Universal threaded conduit fitting is 1/2" female - 3/4" male
- SASM is a simple-to-install Stainless Steel parts kit
- SASM main spring provides 5/8" impact compression and 110 lbs. resistance
- SASM anti-kickback spring provides 3/8" of rebound travel to return the gate to the normal "home" position
- MagnaCare® lifetime replacement, no fault warranty
- Holding Force: 1200 lbs. [544 kg]
- Current Draw and Voltage: 250mA at 12VDC; 150mA at 24VDC
- Operating Temperature: -40 to +140F [-40 to +60C]



Description	Part no.	Weight ea.	Price Break
M62FG-SASM M62 Magnalock	11200	12 lbs.	

"Detex" Weatherized Battery Powered Door or Wall Mount Exit Alarm

- Designed for applications that require an alarmed exit device on secured doors gates
- Alarm will sound when someone attempts an unauthorized exit
- Available in silver or black



Description	Part no.	Weight ea.	Price Break	Price ea.
Detex Battery Alarm	6009 - S	2 lbs.		
Detex Battery Alarm	6009 - B	2 lbs.		

"Detex" Battery Eliminator

- Designed to power 9 volt security devices without relying on batteries
- Powers up to 3 battery operated devices
- Provides field selectable 6 or 9 volts DC power



Description	Part no.	Weight ea.	Price Break	Price ea.
Detex Battery Eliminator	6961	4 lbs		



DAC Industries, Inc.
is a Michigan based
manufacturer and supplier,
providing high-quality gate
hardware for the fencing
industry since 1985. From
gate latches to hinges,
cantilever rollers to panic exit
hardware, the knowledgeable
staff at DAC Industries will
meet your hardware needs
and exceed your customer
service expectations.

For over 30 years, DAC
Industries has been
developing its product line to
meet the growing demands of
the industry. A leader in hard
to find hardware, DAC offers
products built to the highest
standards in the industry.



600 Eleventh Street, N.W. Grand Rapids, MI 49504
Phone: (616) 235.0140
Toll Free: (800) 888.9768
Fax: (616) 235.2901

social icons here